Anonymous survey re Clinicians perceptions of the double balloon catheter use for induction of labour at term

This is a completely anonymous survey you can fill out It's not compulsory. If you fill it in, please put it in the green box near the front desk in the ward This short survey is letting us your views on various aspects of double balloon catheter insertion and removal Date ____/___ Q1 What is your role at Royal Prince Alfred Hospital? Q2 Midwife Yes No CMS midwife Yes No Student Midwife Yes No Midwife on casual pool Yes No Medical resident Yes No Yes No Obstetric Registrar ■ No Obstetrician Yes Q3: Are you familiar with the current RPAH policy 'IOL - Insertion of Double Balloon Intracervical Catheter to Assist with Cervical Ripening'? Q4 a): Are you trained to insert the DBC? Yes No Q4 b): If you answered yes, where and how were you trained?_____ Q4 c): If you answered no, would you like to be? Yes No Yes No Q5: Do you think the DBC is easy to insert?

Anonymous survey re Clinicians perceptions of the double balloon catheter use for induction of labour at term

Q6: On average how many attempts at insertion does it take t	o successfully insert the
DBC?	Yes No
Q7: Do you think on most occasions the DBC is effective at rip	ening the cervix?
	☐ Yes ☐ No
Q8: Do you feel the current timing of insertion and removal of the	
improved?	Yes No
Q9: Post DBC insertion, do you think it would be appropriate for w	vomen to be discharged home
with the catheter in situ?	Yes No

Your participation in this survey is much appreciate

Anonymous survey re pregnant women's perceptions of the double balloon catheter use for induction of labour at term

This is a completely anonymous survey you can fill	out while you	are in hospit	al
It's not compulsory. If you fill it in, please put it in	the green box	near the fro	nt desk in the ward
This short survey is letting us your views on various removal	s aspects of do	uble balloon	catheter insertion and
Q1 Date/			
Q2 Was the purpose of the DBC explained to y	ou? Yes	No	
Questions 3 to 11	Unbearable pain	bearable pain	Somewhat painful
How would you rate the painfulness of the insertion of the catheter?			
Did you have vaginal prostaglandin(s) during your labour? i.e. 'Cervidil' or 'Prostin'?			
Were you offered pain relief post catheter insertion?			
If you answered yes above did you take the pain relief?			
If you answered yes above was it effective?			
Was a midwife or doctor able to break your waters around the front of the baby after removal of the catheter?			
Did you feel the catheter was inserted and removed at an appropriate time of day?			
If you were given the option of going home with the catheter and returning to RPAH the next day for removal would you have gone home rather than being admitted?			
Would you consent to a DBC again if recommended?			

© 2022 Waldron S. et al.